

# Optimal network topologies for local search with congestion

R. Guimerà,<sup>1</sup> A. Díaz-Guilera,<sup>2,1</sup> F. Vega-Redondo,<sup>3,4</sup> A. Cabrales,<sup>4</sup> and A. Arenas<sup>5</sup>

<sup>1</sup>*Departament d'Enginyeria Química, Universitat Rovira i Virgili, 43007 Tarragona, Spain*

<sup>2</sup>*Departament de Física Fonamental, Universitat de Barcelona, 08028 Barcelona, Spain*

<sup>3</sup>*Departament de Fonaments d'Anàlisi Econòmica, Universitat d'Alacant, 03071 Alacant, Spain*

<sup>4</sup>*Departament d'Economia i Empresa, Universitat Pompeu Fabra, 08005 Barcelona, Spain*

<sup>5</sup>*Departament d'Enginyeria Informàtica i Matemàtiques,*

*Universitat Rovira i Virgili, 43007 Tarragona, Spain*

(Dated: September 26, 2002)

The problem of *searchability* in decentralized complex networks is of great importance in computer science, economy and sociology. We present a formalism that is able to cope simultaneously with the problem of search and the congestion effects that arise when parallel searches are performed, and obtain expressions for the average *search cost*—written in terms of the search algorithm and the topological properties of the network—both in presence and absence of congestion. This formalism is used to obtain optimal network structures for a system using a local search algorithm. It is found that only two classes of networks can be optimal: star-like configurations, when the number of parallel searches is small, and homogeneous-isotropic configurations, when the number of parallel searches is large.

PACS numbers: 89.80.+h; 05.70.Jk; 64.60.-i

Recently, the study of topological and dynamical properties of complex networks has received a lot of interest [1, 2, 3]. Part of this interest comes from the attempt to understand the topology and behavior of computer based communication networks such as the Internet [4] and the World Wide Web [5, 6]. However, the study of communication processes in a wider sense is of interest in other fields, remarkably the design of organizations [7, 8, 9].

One of the general principles that has been discovered in many such complex networks is the short average distance between nodes [1]. More surprisingly, it has been shown that these short paths can be found with *essentially local* strategies, i.e. with strategies that do not require precise global information of the network. Indeed, for social networks, this fact was experimentally confirmed a long time ago by the famous experiment of Travers and Milgram [10] and theoretical explanations have been given by Kleinberg [11] and, more recently, by Watts *et. al.* [12]. These explanations are based on the plausible assumption that there is a *structure* (social, geographical, etc.) that underlies the complex social network and provides information that can be exploited heuristically in a search process. In scale-free communication networks and in some decentralized peer-to-peer communication networks such as Gnutella or Freenet, it has been shown [13, 14] that the skewness of the degree distribution and the existence of highly connected hubs allows the design of algorithms that search quite efficiently even when the size of the system is large.

Our approach in the present work is complementary to these efforts. The question we pose is the following: given a search algorithm that uses purely local information—i.e. knowledge of the first neighbors in the network—and a fixed set of resources—i.e. a fixed number of nodes and links—, which is the topology that optimizes the search process? Moreover, we give an answer to this question in a general situation where

the network has to tackle several simultaneous (or parallel) search problems, which in turn rises the important issue of congestion [15, 16, 17, 18] at overburdened nodes. Indeed, for a single search problem the optimal network is clearly a highly polarized star-like structure. This structure is *cheap* to assemble in terms of number of links and efficient in terms of searchability, since the average cost (number of steps) to find a given node is always bounded (2 steps), independently of the size of the system. However, the polarized star-like structure will become inefficient when many search processes coexist in parallel in the network, due to the limitation of the central node to process all information.

The discovery of optimal structures will be a useful guide to design, redesign and drive the evolution of communication networks. Although it can be argued that such a redesign process is not possible in networks like the Internet, it is worth noting that other systems like peer-to-peer networks, distributed databases, and organizations can actually be designed and redesigned.

In this paper we present a formalism that is able to cope with search and congestion simultaneously, allowing the determination of optimal topologies. This formalism avoids the problem of simulating the dynamics of the search-communication process which turns out to be impracticable, specially close to the congestion point where search costs (time) diverge. We do not focus on detailed models of any of the above mentioned communication networks (organizations, computer networks, etc). Rather, we study a general scenario applicable to *any* communication process. First we calculate the average number of steps (search cost) needed to find a certain node in the network given the search algorithm and the topology of the network. The calculation is exact if the search algorithm is Markovian. Next, congestion is introduced assuming that the network is formed by nodes that behave like queues, meaning that are able to deliver a finite number of

packets at each time step [16, 17, 19]. In this context, we are able (i) to calculate explicitly the point at which the arrival rate of packets leads to network collapse, in the sense that the average time needed to perform a search becomes unbounded, and (ii) to determine, below the point of collapse, how the average search time depends on the rate at which search process are started. In both cases, the relevant quantities are expressed in terms of the topology of the network and the search algorithm. Finally we obtain optimal structures by performing exhaustive generalized simulated annealing [20, 21] in the space of the networks with fixed size and connectivity. We find that when the number of parallel searches is small, the star-like configuration turns out to be optimal as expected, while for a large number of parallel searches, a very decentralized and uniform network is best. Surprisingly, no other structures apart from these extremely-centralized and extremely-decentralized networks are found to be optimal.

First, we consider the average cost to find a given node in an arbitrary communication network when there is no congestion. Specifically, we focus on a single *information packet* at node  $i$  whose destination is node  $k$ , i.e. a packet searching for  $k$ . The probability for the packet to go from  $i$  to a new node  $j$  in its next movement is  $p_{ij}^k$ . In particular,  $p_{kj}^k = 0 \forall j$  so that the packet is *removed* as soon as it arrives to its destination. This formulation is completely general, and the precise form of  $p_{ij}^k$  will depend on the search algorithm. In particular, when the search is Markovian,  $p_{ij}^k$  does not depend on previous positions of the packet. In this case, the probability of going from  $i$  to  $j$  in  $n$  steps is given by

$$P_{ij}^k(n) = \sum_{l_1, l_2, \dots, l_{n-1}} p_{il_1}^k p_{l_1 l_2}^k \cdots p_{l_{n-1} j}^k. \quad (1)$$

Thus defining the matrices  $\mathbf{p}^k$  and  $\mathbf{P}^k(n)$  we have

$$\mathbf{P}^k(n) = (\mathbf{p}^k)^n. \quad (2)$$

We next define the *effective* distance matrices

$$\mathbf{d}^k = \sum_{n=0}^{\infty} n \mathbf{P}^k(n) = \sum_{n=0}^{\infty} n (\mathbf{p}^k)^n = [(\mathbf{I} - \mathbf{p}^k)^{-1}]^2 \mathbf{p}^k, \quad (3)$$

whose elements  $d_{ij}^k$  are the average number of steps needed to go from  $i$  to  $j$  for a packet traveling towards  $k$  [25]. In particular, the element  $d_{ik}^k$  is the average number of steps needed to get from  $i$  to  $k$  when using the search algorithm given by the set of matrices  $\mathbf{p}^k$ . When the search algorithm has global knowledge of the structure of the network and the packets follow minimum paths between nodes, the effective distance will coincide with the topological minimum distance; otherwise, the effective distance between nodes will be, in general, larger than the topological minimum distance. Finally, the average search cost in the network when there is not congestion is

$$\bar{d} = \frac{\sum_{i,k} d_{ik}^k}{S(S-1)}, \quad (4)$$

where  $S$  is the number of nodes in the network.

Consider next which is the *centrality* of each of the nodes in the communication network. First, we calculate the average number of times,  $b_{ij}^k$ , that a packet generated at  $i$  and with destination  $k$  passes through  $j$ . According to the previous definitions

$$\mathbf{b}^k = \sum_{n=1}^{\infty} \mathbf{P}^k(n) = \sum_{n=1}^{\infty} (\mathbf{p}^k)^n = (\mathbf{I} - \mathbf{p}^k)^{-1} \mathbf{p}^k. \quad (5)$$

The *effective* betweenness of node  $j$ ,  $B_j$ , is defined as

$$B_j = \sum_{i,k} b_{ij}^k. \quad (6)$$

Again, as in the case of the effective distance, when the search algorithm is able to find the minimum paths between nodes, the effective betweenness will coincide with the *topological* betweenness,  $\beta_j$ , as usually defined [22, 23]. The effective betweenness of the nodes in a network contains valuable information about its behavior when multiple searches are performed simultaneously and congestion considerations become relevant.

Consider the following general scenario. In the communication network, each node generates packets at a rate  $\rho$  per unit of time, independently of the rest of the nodes. The destination of each of these packets is randomly fixed at the moment of its creation. On the other hand, the nodes are queues that can store as many packets as needed but can deliver, on average, only a finite number of them at each time step—without loss of generality, we fix this number to 1. It is known [16, 17, 18] that for low values of  $\rho$  the system reaches a steady state in which the total number of *floating* packets in the network  $N(t)$  fluctuates around a finite value. As  $\rho$  increases, the system undergoes a continuous phase transition from this *free phase* to a *congested phase* in which  $N(t) \propto t$  [16]. Right at the critical point,  $\rho_c$ , quantities such as  $N(t)$  and the characteristic time diverge [24]. In the free phase, there is no accumulation at any node in the network and the number of packets that arrive to node  $j$  is, on average,  $\rho B_j / (S - 1)$ . Therefore, a particular node will collapse when  $\rho B_j / (S - 1) > 1$  and the critical congestion point of the network will be

$$\rho_c = \frac{S - 1}{B^*} \quad (7)$$

where  $B^*$  is the maximum effective betweenness in the network, that corresponds to the most central node.

To calculate the average of the load of the network,  $\langle N(t) \rangle$ , it is necessary to establish the behavior of the queues. In the general scenario proposed above, the arrival of packets to a given node  $j$  is a Poisson process with mean  $\mu_j = \rho B_j / (S - 1)$ . Regarding the delivery of packets, assume the simplest case in which it is also a Poisson process and hence the time between two consecutive packet deliveries follows an exponential distribution [26]. In general, when the arrival and

delivery processes are Poisson, the average size of the queues is given by [19] [27]:

$$\langle \nu_j \rangle = \frac{\mu_j}{1 - \mu_j} = \frac{\frac{\rho B_j}{S-1}}{1 - \frac{\rho B_j}{S-1}}. \quad (8)$$

The average load of the network  $\langle N(t) \rangle$  is

$$\langle N(t) \rangle = \sum_{j=1}^S \langle \nu_j \rangle = \sum_{j=1}^S \frac{\frac{\rho B_j}{S-1}}{1 - \frac{\rho B_j}{S-1}}. \quad (9)$$

There are two interesting limiting cases of this expression. When  $\rho$  is very small,  $\langle \nu_j \rangle \approx \mu_j$  and taking into account that  $\sum_j B_j = \sum_{i,k} d_{ik}^k$ , one obtains

$$\langle N(t) \rangle \approx \rho S \bar{d} \quad \rho \rightarrow 0. \quad (10)$$

On the other hand, when  $\rho$  approaches  $\rho_c$  most of the load of the network comes from the most congested node, and therefore [28]

$$\langle N(t) \rangle \approx \frac{1}{1 - \frac{\rho B^*}{S-1}} \quad \rho \rightarrow \rho_c. \quad (11)$$

It is worth noting that there are only two assumptions in the calculations above. The first one has already been mentioned: the movement of the packets needs to be Markovian to define the jump probability matrices  $\mathbf{p}^k$ . Although this is not strictly true in real communication networks—where packets are not allowed usually to go through a given node more than once—it can be seen as a first approximation [16, 17, 18]. The second assumption is that the jump probabilities  $p_{ij}^k$  do not depend on the congestion state of the network, although communication protocols sometimes try to avoid congested regions, and then  $B_j = B_j(\rho)$  [29]. Our calculations, in particular equations (7)–(11), correspond to the worst case scenario and thus provide bounds to more realistic scenarios in which the search algorithm interactively avoids congestion.

Equations (5), (6) and (9) enable us to tackle the problem of finding optimal structures for local search. An optimal structure is defined as the one that minimizes the average time needed to perform a search. Indeed, according to Little's Law [19], the average time needed by a packet to reach its destination is proportional to the total load of the network, and therefore minimizing  $\langle N(t) \rangle$  is equivalent to minimizing the average cost of a search. In a local search scenario, the  $\mathbf{p}^k$  matrices are given by

$$p_{ij}^k = a_{ik} \delta_{jk} + (1 - a_{ik} - \delta_{ik}) \frac{a_{ij}}{\sum_l a_{il}}. \quad (12)$$

where  $a_{ij}$  are the elements of the adjacency matrix of the network. The first term corresponds to  $i$  and  $k$  being neighbors: then the packet will go to  $j$  if and only if  $j = k$ , i.e. the packet

will be sent directly to the destination. The second term corresponds to  $i$  and  $k$  not being neighbors: in this case,  $j$  is chosen at random among the neighbors of  $i$ . Therefore, in the absence of information, packets are distributed uniformly among neighbors. Finally, the delta symbol ensures that  $p_{kj}^k = 0 \forall j$  and the packet *disappears* from the network.

The optimization process is carried out using generalized simulated annealing as described in [20, 21]. Starting from a given initial network configuration, random rewiring of individual links are performed, the cost  $\langle N(t) \rangle$  is evaluated according to (9) and the change is accepted with a certain probability that depends on a computational temperature, which is decreased so that the system tends to explore regions of the configuration state with lower and lower costs. Regarding the cooling, at a given temperature, each node of the network is allowed to try a rewiring. Then the temperature is decreased by 1%, and the process is repeated until a minimum temperature is reached or, alternatively, the system has remained unchanged after a significantly large amount of rewiring trials. Different sets of initial conditions are explored: for a given value of  $\rho$ , the optimization process is started from random initial configurations and also from networks that turned out to be optimal at similar values of  $\rho$ . Of all the realizations, only the network with a smallest cost is considered as optimal.

The results of the optimization process are shown in Fig. 1, and are in agreement with equations (10) and (11). For  $\rho \rightarrow 0$ , the optimal network has a star-like centralized structure as expected, which corresponds to the minimization of the average effective distance between nodes. On the other extreme, for high values of  $\rho$ , the optimal structure has to minimize the maximum betweenness of the network, according to (11). This is accomplished by creating a homogeneous network where all the nodes have essentially the same degree, betweenness, etc. To characterize the networks at all values of  $\rho$ , we introduce a measure of the *polarization*,  $\pi$ , of the network:

$$\pi = \frac{\beta^* - \langle \beta \rangle}{\langle \beta \rangle} \quad (13)$$

where  $\beta$  is, as before, the topological betweenness of the nodes. For star-like networks, the value of  $\pi$  is large while for very homogeneous networks  $\pi \approx 0$ . Although one could expect that optimal networks cover the whole range of values from  $\pi = \pi_{star}$  to  $\pi \approx 0$ , the results of the optimization process reveal a completely different scenario. According to simulations, star-like configurations are optimal for  $\rho < \rho^*$ ; at this point, the homogeneous networks that minimize  $B^*$  become optimal. Therefore there are only two type of structures that can be optimal for a local search process: star-like networks for  $\rho < \rho^*$  and homogeneous networks for  $\rho > \rho^*$ .

In summary, we have found analytical expressions for the relationship between topological properties of networks and the specific dynamic behavior when faced with local search with congestion. These expressions allow the calculation of




FIG. 1: Optimal structures for local search with congestion. Top: Star-like configuration optimal for  $\rho < \rho^*$  (left), and homogeneous-isotropic configuration optimal for  $\rho > \rho^*$  (right). Bottom: Polarization of the optimal structure as a function of  $\rho$ , for networks of size  $S = 32$  and different number of links  $L$ .

the search cost in terms of the *effective* betweenness of the nodes, which is calculated via the transition probability matrices (formal expressions of the search algorithm). This formalism allows to perform an exhaustive search for optimal topologies in terms of parallel *searchability* avoiding the simulation of the dynamics of the parallel search process, that is prohibitive in computational time. Moreover, the formalism is general enough to deal with other search scenarios—local searches with knowledge up to second nearest neighbors, third nearest neighbors and so on (eventually, global knowledge)—simply redefining the  $p_{ij}^k$  elements. We find that the optimal network topologies for local search considering congestion are split in two categories: a star-like network topology, that is optimal for small number of parallel searches, and the homogeneous-isotropic network topology, that is optimal for large numbers of parallel searches. Strikingly, the transition between these categories is sharp, i.e. we are not able to find any optimal network topology different from these two classes.

The authors are grateful to L. A. N. Amaral, L. Danon, X. Guardiola, R. Monasson, C.J. Pérez, and M. Sales for helpful comments and discussions. This work has been supported by DGES of the Spanish Government, Grants No. PPQ2001-1519, No. BFM2000-0626, No. BEC2000-1029 and No. BEC2001-0980, and EC-Fet Open project No. IST-2001-33555. R.G. also acknowledges financial support from the

Generalitat de Catalunya.

- 
- [1] D. Watts and S. Strogatz, *Nature* **393**, 440 (1998).
  - [2] A.-L. Barabasi and R. Albert, *Science* **286**, 509 (1999).
  - [3] L. A. N. Amaral, A. Scala, M. Barthelemy, and H. E. Stanley, *Proc. Nat. Acad. Sci. USA* **97**, 11149 (2000).
  - [4] M. Faloutsos, P. Faloutsos, and C. Faloutsos, *Comp. Comm. Rev.* **29**, 251 (1999).
  - [5] R. Albert, H. Jeong, and A.-L. Barabasi, *Nature* **401**, 130 (1999).
  - [6] B. Huberman and L. Adamic, *Nature* **401**, 131 (1999).
  - [7] R. Radner, *Econometrica* **61**, 1109 (1993).
  - [8] P. Bolton and M. Dewatripont, *Quarterly Journal of Economics* **109**, 809 (1994).
  - [9] L. Garicano, *Journal of Political Economy* **108**, 874 (2000).
  - [10] J. Travers and S. Milgram, *Sociometry* **32**, 425 (1969).
  - [11] J. Kleinberg, *Nature* **406**, 845 (2000).
  - [12] D. J. Watts, P. S. Dodds, and M. E. J. Newman, *Science* **296**, 1302 (2002).
  - [13] L. A. Adamic, R. M. Lukose, A. R. Puniyani, and B. A. Huberman, *Phys. Rev. E* **64**, 046135 (2001).
  - [14] B. Tadic, *Eur. Phys. J. B* **23**, 221 (2001).
  - [15] V. Jacobson, in *Proceedings of SIGCOMM '88* (ACM, Stanford, CA, 1988).
  - [16] A. Arenas, A. Diaz-Guilera, and R. Guimera, *Phys. Rev. Lett.* **86**, 3196 (2001).
  - [17] T. Ohira and R. Sawatari, *Phys. Rev. E* **58**, 193 (1998).
  - [18] R. Sole and S. Valverde, *Physica A* **289**, 595 (2001).
  - [19] O. Allen, *Probability, statistics and queueing theory with computer science application* (Academic Press, New York, 1990), 2nd ed.
  - [20] T. J. P. Penna, *Phys. Rev. E* **51**, R1 (1995).
  - [21] C. Tsallis and D. A. Stariolo, *Annual Review of Computational Physics II* (World Scientific, Singapore, 1994), edited by D. Stauffer.
  - [22] L. C. Freeman, *Sociometry* **40**, 35 (1977).
  - [23] M. E. J. Newman, *Phys. Rev. E* **64**, 016132 (2001).
  - [24] R. Guimera, A. Arenas, and A. Diaz-Guilera, *Physica A* **299**, 247 (2001).
  - [25] It is assumed that the eigenvalues of the  $\mathbf{p}^k$  matrix are smaller than 1, which must be true if the number of times that a packet goes through a certain node is finite. This condition will not hold, for instance, if the network is formed by more than one connected component.
  - [26] For example, consider the following model which is a simplification of the communication model with discrete time proposed in Ref. [16]. For a node  $j$  with  $\nu_j$  packets stored in its queue, every time step each packet jumps to the next node (chosen according to the search algorithm defined through the matrices  $\mathbf{p}^k$ ) with probability  $1/\nu_j$ . In this simple case, the delivery of packets can be approximated by a Poisson process. The continuum approximation holds in this case because the maximum rate of arrival and delivery is 1 packet per time step and, therefore, the results obtained in queuing theory can be applied safely. However, the approximation would not hold for discrete models if larger time windows were considered.
  - [27] Note that, to obtain this result, the queueing discipline (that is, the order in which packets are processed) is irrelevant. Moreover, it is straightforward to extend the calculations to other types of queues. For instance, the queues used in [17] are

queues M/D/1 and the corresponding expression for the size of the queues would be  $\langle \nu_j \rangle = \mu_j^2 / (1 - \mu_j)$

- [28] We assume that there is one only node that has betweenness  $B^*$ . If there is more than one, equation (11) should be multiplied by the number of such nodes.
- [29] All the derivations above will still be true in a number of general situations, including situations in which the paths that the

packets follow are unique [16], in which the routing tables are fixed, or situations in which the structure of the network is very homogeneous and thus the congestion of all the nodes is similar (for instance, in [18] periodic boundary conditions prevent from having high congestion levels in the center of the network, and in this case (7)–(11) would provide very good approximations.)